4 B.

G. R. S IX-5]

Previous references

Pt. 1–14.

1900

191 .

(Munpl.)

File No. 3 F 9

Serial Nos. 15–

Later references.

1902–03

GENERAL AND REVENUE SECRETARIAT.

Serial Nos. 15–18)–

Major Part B for Febry. 1903

SUBJECT.

Ramanahalli Channel Water Filter beds.

W D 88—GPB—50,000—24-7-16

Consulsma

Extract Notes

X X X

" He (Sanity. Comm^r) takes this opportunity to recommend that Sanitary Board should be formed in all districts, whose duty it would be to see that water supplied to outlying towns in their districts, are properly supervised and who would at once bring to the notice of the Central Sanity. Board anything wrong as it would be impossible to expect the Dy Comm^rs of ~~the~~ districts to be responsible for everything "

" Submitted for orders of Secy "

" The proposed Rules for the formation of Sanity Board is now pending before the Dewan to whom the file was submitted " on 6/2/02

(Init.) A.R.
9/6/02

X X X

X X X

X X

X X

" With reference to para 2 of the S.O.
No 8478-80 dt 18/11/02 observing
that the filter beds of Jan-an-abad
Channel water are in a very unsatis-
factory state, the D/ Comm'r ...
(President of the "municipality")
reports"

DTO 25/11/'2

317 a 21-11-02
(8L 17)
K B

reports that, after he (Mr B G Krishnaiengar) took charge of the Kadur Distt in May 1902, he inspected the filter beds, ~~that he~~ found that the following materials had not been renewed, that he desired the Vice President to take early steps to rectify the omission, that the latter submitted an estimate for Rs 155/- which was sanctioned on the 15th August 1902, that owing to the prevalence of Plague the work was not put in hand, that, as the Plague has subsided the matter will be attended to early and that extra peons have to be given for collecting the materials as people have not returned to the towns.

Many thanks. Communication be recorded ~~by~~ of the Chief Engineer, people be reminded to submit ~~the~~ ~~for~~ with drafts ~~to~~ ~~to~~ ~~to~~

With reference to para
3 of Cy. P No 8178-80 &
L 7 1178
the 18th June 02 forwarding
the Chief Engineer's proposal
regarding the diversion
of 200 units of water
from the Ramanhalli
Channel to the Water
Supply Reservoir at
Chikkanagalur, the Chief
Engineer forwards
copy of docket No 1643
d 19th December 1902
from the Supg Engr,
Western Circle, stating
that the Executive Engineer
reports that the diversion
of water from the
said channel to the
Reservoir or Filter
beds is impossible,
as the latter are situated
at a much higher level
than the former.

Submitted for order,

Engg
17.1.03

Subd to the Diwan
through the 2nd Councillor

The idea of bringing water
from the Ramanathi Channel
to the Dilkar lands will therefore
have to be given up.

27/1/03

L 03382
26-1-03

Yr. The proposed diversion
seems impossible. This
correspondence may
be recorded. Every
thing possible has been done
and the town is being
drowned instead and
has no grievance.

27-1-03

Subd to the Diwan
27/1/03

1478/ Let the Collector
see this despatch
which must be
communicated
for registering
the fields
as lands.

RJ
30.1.03
8105

10.II 03

D.A.

12/2

H. V. K. 12/2/03

Drafted
14 2 03

40

5768.

24 NOV 1902

L917

1902

Section Miscl

Letter No 3

Serial No 15

From The President of the Mysore Board, Kadur District

To The Secretary to Government General & Rev. Departments

Dated 21st

Despatched 22nd November 1902.

Received

General No. 317
No.

Enclosure No.

Stating that an Estimate for Rs 155/- was sanctioned in August/02 for clearing the silted beds &c at Chikmagalur and that the work would be taken up early and completed

L. F.
24/11/02

No 26/11/02
16 11 02
26/11/02

Office of the President of the Municipalities
Kadur District
Dated Chikmagalur 21st November 1902.

From,

B. G. Krishnamurthy Esqre
President of the Municipal Boards
Kadur District.

To

H V Nanjundayya Esqre B.A, Bd
Secretary to Government Genl & Rev Dept

Sir, Adverting to Government order no: 84178-80. 16.98 dt. 16.98 of the 18th November 1902 directing, that the order of the Deputy Commissioner for the removal of the present Mahomedan burial ground at Chikmagalur from its present position, be cancelled, and that the omission pointed out in the filter beds should be rectified at once &c, I have the honor to state that after I took charge of this District in May 1902, I inspected the filter beds, and finding that the filtering materials had not been renewed, desired the Vice President to take Early steps to rectify the same. He sent an Estimate for Rs 155/- for the necessary work and it was sanctioned on the 15th August 1902. But owing to the prevalence of plague the work had to be delayed. Now that plague has subsided, Early steps will be taken to remedy matters. As people have not returned to the town Extra rates will have to be given for collecting the materials.

I have the honor to be Sir
Your most obedient Servant

President of the
Municipal Boards
Kadur District.

Section Municipal (Read :-
No - 3 - 390 Letter - 80 317 d 21st
Nov 1902 from the
President of the Municipality
in the Kadur District
stating, with reference
to para 2 of Govt Proc
No. 8478 80 d 18th Idem,
L.R. 16-98
~~stating~~ that under his
orders an estimate for
Rs 155 for renewing the
materials in the filter-
beds of the Ramanhalli
Channel was submitted
by the Vice-President
of the Chikmagalur
Municipal Board, that
it was sanctioned by him
in August last, that
the work was not put
in hand till now owing
to the prevalence of
Plague in the town, and
that no Plague has
now subsided the
matter will be

to early

Q.L. 1067

Order thereon. 180 10113

L.L. 16-98

D- 18/12/02

Recorded.

JB

16/12/1902

for Secretary.

D.J.S. 12/02

To

The President of the
Municipality in the
Kaora Dist.

7115.

1902 L 1136

FROM

Section Mun the Chief Engineer of Mysore

File No 3-90 C.

Cutt No.

To

the Secretary to Government General & Revenue Depart

Dated 22-12-02

Despatched

Received

General No. 7435

No.

Enclosure No.

To the Secretary to Government

Forwarding copy of Western Circle Superintending Engineers No 4643 dt. 19-12-02 reporting the impossibility of the diversion of water from the Ramanhalli channel either to the Reservoir of filter beds

O.4643 Bangalore 19th Decem

(19)

From,

The Superintending Engineer

Western Circle,

To,

The Chief Engineer of Mysore

Para 3 of the Government Proceedings No.8478-80 / L.F.16-98 dated Bangalore 18th November /02 forwarded for report with the Chief Engineer's No.6887 dated the 26th idem, about the diversion of water from the Ramenhalli Channel to Water Supply Reservoir,

&&&&&&&&&&&&&&&&&&&&&&&&

With reference to the above, has the honor to inform the Chief Engineer that the diversion of water from the Ramenhalli Channel either to the newly laid filter beds is reported by the Executive Engineer to be impossible as the latter are situated at a much lower level than the former.

(Sd) A.B.Deshpande

Superintending Engineer

No. 7435 dated Bangalore 3rd December 1902

Copy forwarded to the Executive Engineer, Undigudde Sub Division, Kolar for information, and necessary action with reference to para 3 of Govt: Proc: No.8478-80/L.F.16-98 dated 18th November last.

W.H. Trench Captain R.E.
for Chief Engineer of Mysore

APJ.

(20)

Section Quinty Read
No 3-50-4
Item No 18

Letter No 7435 d the 22nd Dec 1902 from the Chief Engineer of Mysore stating forwarding, with reference to para 3 of Govt Proc No 8478-80 L Fy 16-98 d the 18th Nov '02, that the diversion of water from the Ramanhalli Channel to the Water Supply Reservoir or filter beds is impossible, as the latter are situated at a much higher level than the former.

a at thick mayhem

R. L. 1482

Order thereon: No 1312 L Fy 16-98 D 27/2/03

Recorded with the observation that the

the Government are
seriously disappointed
that the filter beds
were neglected so badly

2nd cr/d
Drawbacks

Secretary
20/2/03

To
The Chief Engineer
Trichinopoly.

S.L.d.
The dissatisfaction
[illegible]
communicated in
[illegible]
A [illegible]
[illegible]

(May stand.
Nil 25/2)